

# GOLDEN POINT CHEMICAL (KUNSHAN) CO., LTD

## Material Safety Data Sheet

### 1. PRODUCT IDENTIFICATION

Manufacturer: GOLDEN POINT CHEMICAL (KUNSHAN) CO., LTD  
Address: WEST ST PENLANG, KUNSHAN CITY JIANGSU PROVINCE  
Telephone: +86-512-57611910  
Fax: +86-512-57611912

### 2. HAZARDOUS INGREDIENTS

Chemical Name: Synthetic Paint  
CAS Number: 00108-88-3.141-78-6  
% Nil  
Exposure Limit: TWA / 8hrs: 100

### 3. PHYSICAL DATA

Appearance: Clear limpid liquid  
pH: Not applicable  
Specific Gravity: 0.95-1.05 / 20°C  
Vapor Pressure: Not applicable  
Vapor Density: 4  
Solubility in Water: < 0.1%  
Freezing Point: Not applicable  
Boiling Point: 140°C  
Odor: Faint citronella  
Volatiles: 7.0% (UEL).1.1.% (LEL)

### 4. FIRE AND EXPLOSION

Flash Point 27°C  
Flame Extension Not applicable  
Extinguishing Media: Dry chemical or CO2  
Fire Fighting Procedures: Use water to keep fire-exposed containers cool.

### 5. HEALTH HAZARD / ROUTE(S) OF ENTRY

#### - Symptoms Of Overexposure

Inhalation: May cause headache, dizziness and upper respiratory irritation  
Skin Contact: Direct contact may cause irritation and prick  
Eye Contact: Direct contact may irritation, tearing and redness. More seriously may cause conjunctivitis  
Ingestion: May cause irritation, nausea, vomiting and stomachache.

#### - First Aid Procedures:

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen via trained person  
Skin Contact: Take off the polluted close, shose with protective gloves and Wash with soap and water.  
Eye Contact: Immediately flush eyes with large amounts of warm water for 20 minutes, then seek medical attention

# GOLDEN POINT CHEMICAL (KUNSHAN) CO., LTD

## Material Safety Data Sheet

Ingestion:	Do not induce vomiting and swallow about 240-300c.c. water. Must seek medical attention
** Aspiration Hazard:	If swallowed, can enter lungs and may cause chemical pneumonitis.
** Warning:	Do not induce vomiting and gastric lavage

### 6. REACTIVITY DATA

Stability:	Stable
Conditions to avoid:	Avoid contact with fire or high temperature
Incompatibility:	Strong oxidizer, strong acid, strong base
Hazardous decomposition product	Thermal decomposition may yield carbon monoxide and/or carbon dioxide.
Hazardous polymerization:	Will not occur

### 7. SPILL OR LEAK PROCEDURES

#### - Spill Responses Procedures

Absorb small quantities with sand, earth, sawdust. Large quantities pump into tank.

#### - Waste Disposal Method

1. Dispose of in accordance with local, state and federal regulations.
2. Incinerate Liquid, bury saturated absorbent in land fill.

### 8. SPECIAL HANDLING INFORMATION


Ventilation Requirements:	<ol style="list-style-type: none"> <li>1. Use local exhaust to capture vapor, mists or fumes.</li> <li>2. Provide ventilation sufficient to prevent exceeding recommended exposure limit or build-up of explosive concentrations of vapor in air.</li> <li>3. No smoking, or use of flame or other ignition sources.</li> </ol>
Respiratory Protection:	Use air respiratory protection in confined or enclosed spaces
Protective Gloves:	Use chemical - resistant gloves
Eye Protection:	Use goggles or face shield

### 9. SPECIAL PRECAUTIONS

1. Keep from open flame and incompatibility.
2. Do not take internally. Avoid excessive inhalation of vapors.
3. Keep from children.

### 10. TRANSPORT INFORMATION

Intl. Transport information:	This material is a Class 3 flammable liquid.
UN Number	Not applicable
Domestic Transport Regulation	<ol style="list-style-type: none"> <li>1. Regulations of Traffic Safety by Road</li> <li>2. Regulations of dangerous cargos by Vessel</li> </ol>

SIGNATURE: Claire Hsieh  TITLE: Sales DATE: October 2007